

Cnap & Win!
iPad Pro
 Check out our contest!
suzuka.com.my/promotion | T&C Apply




SUZUKA[®] MODENA COATING

SPECIAL EFFECT COATING

EDITION
2.3

WALL FINISH
 PROFESSIONALS.

SINCE
 1977



WALL FINISH PROFESSIONALS



suzuka.com.my

suzuka.group | Hotline : +6012-258 7388

Photos of the products shown may vary in color due to lighting condition & printing.
 We suggest you examine actual product samples before ordering.




MODENA COATING-E2.3-2510



MODENA COATING

SUZUKA® Modena Coating is a decorative plaster product adopting ceramic color sands and high-tech resin providing seamless coating of a wide range of textures. Use different tools to create different styles from industrial, scandinavian to classic european.



Features



Resistant to fungus,
stains, dust & dirt



Low VOC
& Odor



Non-toxic



Environmental
Friendly



Excellent durability
against weather
conditions



Washable &
easy to maintain






Excellent
Adhesion




Excellent impact &
abrasion resistance

Trowel

Tools:
- Plastering Trowel
- Wooden Trowel



MAR-##-R | Random Strands



MAH-##-R | Horizontal Strands




MAV-##-R | Vertical Strands



MO-##-S | Suede Surface




MR-##-R | Rough Desert



MV-##-R | Moon Surface



MAA-##-F | Refined Strands



B. Brush

Tools:
- Plastering Trowel
- Brush

19

03

17



MD-##-S | Sand Stone




ME-##-S | Hairlines




MS-##-S | Sketchy Brush



MSA-##-S | Canyon Brush





MSB-##-S | Hashed Brush



MEA-##-S | Stream Lines




MOA-##-S | Pitted Surface




04

Iron Pigeon



18

Sage Green



09

Moroccan Blue



See full color pallette on page 15 & 16.





R. Roller

Tools:
- Plastering Trowel
- Pattern Roller




MP-##-R | Linear Rough






S. Spray


- Tools:
- Spray Gun
 - Plastering Trowel
 - Pattern Roller




MC-##-R | Bumpy Spray






MG-##-R | Stucco Press



MU-##-S | Rocky Stripes



MW-##-F | Fine Spray




C Comb Trowel

- Tools:
- V- Notch Trowel
 - U-Notch Trowel
 - Square Comb Trowel
 - Plastering Trowel

04


12




MF-##-S | Pointed Comb



MK-##-S | Crepe Comb



MQ-##-S | Bar Comb



MX-##-S | Scrape Comb



MF-10-S Pointed Comb



See full color palette on page 15 & 16.


MV-02-R Moon Surface



MC-02-R Bumpy Spray



See full color pallette on page 15 & 16.




See full color pallette on page 15 & 16.

MODENA COATING COLOR PALLETTE




01 | Porcelain Powder




02 | Cotton Cloud



12 | Rose Tea




15 | Light Clay



03 | Steamy River



04 | Iron Pigeon



16 | Radiance Beige



17 | Burnt Orange



05 | Dark Anchor




09 | Moroccan Blue




18 | Sage Green



19 | Pacific Blue



10 | Dusty Beige



11 | Taupe Mushroom

IMPORTANT NOTE!


All colors shown are as close to the actual Suzuka® Modena Coating colors as modern printing techniques permit, nonetheless, there are still color/tonal differences.

We highly recommend seeing actual samples before ordering.

MAR-##-R
Random Strands

Consumption : 2.0 – 2.5 kg/m²
Coverage/drum : 4.0 – 5.0 m²/10kg

Tools:
Wooden & Plastering Trowel



MAH-##-R
Horizontal Strands

Consumption : 2.0 – 2.5 kg/m²
Coverage/drum : 4.0 – 5.0 m²/10kg


Tools:
Wooden & Plastering Trowel



MAV-##-R
Vertical Strands

Consumption : 2.0 – 2.5 kg/m²
Coverage/drum : 4.0 – 5.0 m²/10kg


Tools:
Wooden & Plastering Trowel



MO-##-S
Suede Surface

Consumption : 1.5 – 2.0 kg/m²
Coverage/drum : 5.0 – 7.0 m²/10kg


Tools:
Plastering Trowel



MR-##-R
Rough Desert

Consumption : 3.0 – 3.5 kg/m²
Coverage/drum : 2.9 – 3.3 m²/10kg


Tools:
Plastering Trowel



MV-##-R
Moon Surface

Consumption : 3.2 – 4.0 kg/m²
Coverage/drum : 2.5 – 3.0 m²/10kg

Tools:
Plastering Trowel, Brush & Stainless Steel Scourer



MAA-##-F
Refined Strands

Consumption : 2.0 – 2.5 kg/m²
Coverage/drum : 4.0 – 5.0 m²/10kg

Tools: Wooden & Plastering Trowel



MD-##-S
Sand Stone

Consumption : 2.5 – 3.0 kg/m²
Coverage/drum : 3.3 – 4.0 m²/10kg

Tools: Plastering Trowel & Paint Brush



ME-##-S
Hairlines

Consumption : 1.5 – 2.0 kg/m²
Coverage/drum : 5.0 – 7.0 m²/10kg

Tools: Plastering Trowel & Paint Brush



MS-##-S
Sketchy Brush

Consumption : 1.5 – 2.0 kg/m²
Coverage/drum : 5.0 – 7.0 m²/10kg

Tools: Plastering Trowel & Paint Brush



MSA-##-S
Canyon Brush

Consumption : 2.5 – 3.0 kg/m²
Coverage/drum : 3.3 – 4.0 m²/10kg

Tools: Plastering Trowel & T-Grass Brush



MSB-##-S
Hashed Brush

Consumption : 2.5 – 3.0 kg/m²
Coverage/drum : 3.3 – 4.0 m²/10kg


Tools: Plastering Trowel & R-Grass Brush



MEA-##-S
Stream Lines

Consumption : 2.5 – 3.0 kg/m²
Coverage/drum : 3.3 – 4.0 m²/10kg


Tools: Plastering Trowel
& T-Grass Brush



MOA-##-S
Pitted Surface

Consumption : 3.0 – 3.5 kg/m²
Coverage/drum : 2.9 – 3.3 m²/10kg

Tools: Plastering Trowel
& R-Grass Brush



MP-##-R
Linear Rough

Consumption : 3.2 – 4.0 kg/m²
Coverage/drum : 2.5 – 3.0 m²/10kg


Tools: Plastering Trowel
& Pattern Roller



MC-##-R
Bumpy Spray

Consumption : 3.0 – 3.5 kg/m²
Coverage/drum : 2.9 – 3.3 m²/10kg


Tools:
Spray Gun



MG-##-R
Stucco Press

Consumption : 3.0 – 3.5 kg/m²
Coverage/drum : 2.9 – 3.3 m²/10kg

Tools:
Spray Gun & Plastering Trowel



MU-##-S
Rocky Stripes

Consumption : 2.5 – 3.0 kg/m²
Coverage/drum : 3.3 – 4.0 m²/10kg

Tools:
Spray Gun & Pattern Roller



MW-##-F
 Fine Spray

Consumption : 1.5 – 2.0 kg/m²
 Coverage/drum : 5.0 – 7.0 m²/10kg



Tools:
 Spray Gun



MF-##-S
 Pointed Comb

Consumption : 2.0 – 2.5 kg/m²
 Coverage/drum : 4.0 – 5.0 m²/10kg



Tools: Plastering Trowel
 & V-Notch Trowel



MK-##-S
 Crepe Comb

Consumption : 3.0 – 3.5 kg/m²
 Coverage/drum : 2.9 – 3.3 m²/10kg

Tools: Plastering Trowel
 & U-Notch Trowel



MQ-##-S
 Bar Comb

Consumption : 3.0 – 3.5 kg/m²
 Coverage/drum : 2.9 – 3.3 m²/10kg




Tools: Plastering Trowel &
 Square Comb Trowel



MX-##-S
 Scrape Comb

Consumption : 5.0 – 6.0 kg/m²
 Coverage/drum : 1.6 – 2.0 m²/10kg

Tools: Spray Gun &
 Square Comb Trowel



APPLICATION
PROCESS

1 Surface Preparation

Surface shall be dry and free from dirt, oil, grease and foreign matters.

Surface unevenness, crack, and the like shall be treated with cement filler.

	2	3	4
	Primer	Texture Coat	Top Coat
Material	EM Primer	Modena Coat	FSI Clear
Dilution	Ready to use	Ready to use	Ready to use
Number of Coats	1	1 – 2	1 – 2
Time Interval	3 hours	24 hours	-
Consumption	7 – 9 m ² /l	1.5 – 4.0 kg/m ²	8 – 10 m ² /l/coat
Tools	Spray Gun, Roller OR Brush.	Trowel, Brush, Spray Gun, OR Roller. <i>*Tools depending on type of pattern.</i>	Spray Gun, Roller OR Brush.

PACKING DATA



1L
EM Primer



1L
FSI Clear



10KG
Modena Coat

TECHNICAL SPECIFICATIONS

Code	Name	Tools	EM Primer (m ² /l)	Modena Coat		FSI Clear (m ² /l/coat)
				Consumption (kg/m ²)	Coverage/Drum (m ² /10kgs)	
MAR-##-R	Random Strands	• Plastering Trowel & Wooden Trowel	7 – 9	2.0 – 2.5	4.0 – 5.0	8 – 10
MAH-##-R	Horizontal Strands	• Plastering Trowel & Wooden Trowel	7 – 9	2.0 – 2.5	4.0 – 5.0	8 – 10
MAV-##-R	Vertical Strands	• Plastering Trowel & Wooden Trowel	7 – 9	2.0 – 2.5	4.0 – 5.0	8 – 10
MO-##-S	Suede Surface	• Plastering Trowel	7 – 9	1.5 – 2.0	5.0 – 7.0	8 – 10
MR-##-R	Rough Desert	• Plastering Trowel	7 – 9	3.0 – 3.5	2.9 – 3.3	8 – 10
MV-##-R	Moon Surface	• Plastering Trowel, Brush & Steel Scourer	7 – 9	3.2 – 4.0	2.5 – 3.0	8 – 10
MAA-##-F	Refined Strands	• Plastering Trowel & Wooden Trowel	7 – 9	2.0 – 2.5	4.0 – 5.0	8 – 10
MD-##-S	Sand Stone	• Plastering Trowel & Brush	7 – 9	2.5 – 3.0	3.3 – 4.0	8 – 10
ME-##-S	Hairlines	• Plastering Trowel & Brush	7 – 9	1.5 – 2.0	5.0 – 7.0	8 – 10
MS-##-S	Sketchy Brush	• Plastering Trowel & Brush	7 – 9	1.5 – 2.0	5.0 – 7.0	8 – 10
MSA-##-S	Canyon Brush	• Plastering Trowel & T-Grass Brush	7 – 9	2.5 – 3.0	3.3 – 4.0	8 – 10
MSB-##-S	Hashed Brush	• Plastering Trowel & R-Grass Brush	7 – 9	2.5 – 3.0	3.3 – 4.0	8 – 10
MEA-##-S	Stream Lines	• Plastering Trowel & T-Grass Brush	7 – 9	2.5 – 3.0	3.3 – 4.0	8 – 10
MOA-##-S	Pitted Surface	• Plastering Trowel & R-Grass Brush	7 – 9	3.0 – 3.5	2.9 – 3.3	8 – 10
MP-##-R	Linear Rough	• Plastering Trowel & Pattern Roller	7 – 9	3.2 – 4.0	2.5 – 3.0	8 – 10
MC-##-R	Bumpy Spray	• Spray Gun	7 – 9	3.0 – 3.5	2.9 – 3.3	8 – 10
MG-##-R	Stucco Press	• Spray Gun & Plastering Trowel	7 – 9	3.0 – 3.5	2.9 – 3.3	8 – 10
MU-##-S	Rocky Stripes	• Spray Gun & Pattern Roller	7 – 9	2.5 – 3.0	3.3 – 4.0	8 – 10
MW-##-F	Fine Spray	• Spray Gun	7 – 9	1.5 – 2.0	5.0 – 7.0	8 – 10
MF-##-S	Pointed Comb	• Plastering Trowel & V-Notch Trowel	7 – 9	2.0 – 2.5	4.0 – 5.0	8 – 10
MK-##-S	Crepe Comb	• Plastering Trowel & U-Notch Trowel	7 – 9	3.0 – 3.5	2.9 – 3.3	8 – 10
MQ-##-S	Bar Comb	• Plastering Trowel & Square Notch Trowel	7 – 9	3.0 – 3.5	2.9 – 3.3	8 – 10
MX-##-S	Scrape Comb	• Spray Gun & Square Notch Trowel	7 – 9	5.0 – 6.0	1.6 – 2.0	8 – 10

SUZUKA®

WALL SEALER PRO

“ Make your wall finishes last longer! ”

Superior primer for concrete, skimmed or masonry surfaces.

This sealer that has good substrate penetration abilities to increase adhesion of product to prevent chalking or peeling off. It has excellent alkaline resistance properties that can prevent efflorescence. It is an ideal base coat for any SUZUKA® or any wall finish products.

Packing Size:

1L 5L 20L

Coverage	Drying Time (hour)		
6.5 - 8.5 m ² /l/coat	Surface Dry : 1	Hard Dry : 5	Recoating : 5
	Substrate Temperature: 23°C - 26°C		

Suitable for:

- Masonry wall
- Brickwork
- Plaster
- Skimmed Coat
- Asbestos free substrate

Features:

- Excellent alkaline resistance to prevent efflorescence.
- Good for new walls and repainting.
- Prevents skim coat from chalking & peeling off.
- Extremely good penetration.
- Excellent adhesion.
- Exterior and interior use.
- Applicable with brush, roller or spray gun.

Airless Spray	Nozzle 1.8 - 2.0 mm	Spray Angle Degree 65° - 80°	Pressure 210 psi/150kg/cm ²
---------------	------------------------	---------------------------------	---

PATTERN TOOLS

Available for order

R01

Stripe Blades Roller
(Available in 4" & 7" size)

R02

Linear Rough Roller

B01

T- Grass Brush
(Available in 20cm & 40cm size)

B02

Rectangular Grass Brush

T01

V-Notch Trowel

T02

U-Notch Trowel

T03

Square Notch Trowel
(Smaller Gap with handle)

T04

Square Comb Trowel
(Wider Gap with no handle)